Journal of Obstetrics and Gynaecology (1995) 15, 429–436

Index

Volume 15/1995

Abdominal hysterectomy, total, for benign disease, a prospective cohort study of the clinical management, 394
Abdominal pain in pregnancy: who needs to be admitted?, 363
Abdominal pregnancy, to term, 234
Abdominal wall endometriosis resulting from attempted transabdominal intra-amniotic injection for middle trimester abortion, 129
Abdulla U.: see Gazvani M. R.
Abed S.: see Sabagh T. O.
Aboud E., Lakasing L., Chaliha C. and Gordon H.: X-linked hypophosphataemic rickets and its effect on pregnancy, 390
Abu-Heija T.: see Ziadeh S. M.
Achanna S., Monga D. and Subramaniam N.: Primary ovarian pregnancy—a diagnostic dilemma, 337
Adeyemi-Doro F. A. B.: see Ilesanmi O. A.
Adinma J. I. B. and Agbai A. O.: Fetal birth weight in Africa, 295
Adolescent booked and unbooked pregnant mothers, surgical intervention in, 15
Agbai A. O.: see Adinma J. I. B.
Agorastos T.: see Piveropoulos M.
Ahmed A. I. H.: see Nicholson S. C.
Ainscow G.: see Lowe P. J. M.
Akang E. E. U.: see Ilesanmi O. A.
Akosa A. B.: see Sultan A. H.
Al-Ashkanane L.: see Omu A. E.
Alcohol consumption during pregnancy in Bristol, 84
α-fetoprotein elevation and prediction of pregnancy outcome, 285
Al-Qattan F.: see Omu A. E.
Al-Awadi S. and Omu A. E.: Takayasu's arteritis in a grand multipara: obstetric outcome, 388
Amit A.: see Munichor M.
Anandakumar, C., Chew S., Wong Y. C., Chia D. and Ratnam S. S.: Role of ultrasound colour flow mapping in differentiating between benign and malignant ovarian cysts, 266
Anandakumar C.: see Chew S.
Aneurysm of the superior mesenteric artery: a rare cause of abdominal pain in pregnancy, 305
Angiographic embolisation, life saving, in severe postpartum haemorrhage, 240
Anthony J.: see Johanson R.
Arterial embolism, intrapartum paradoxical, associated with an undiagnosed atrial septal defect, 391
Audit of training in obstetric perineal trauma, 19
Ayers K. and Bibby J.: From one egg to another?
Aziz A. I. and McGrath J.: Modified reverse Stamey operation—treatment for stress incontinence, 410

Bahar A. M.: see Zaki Z. M. S.
Baldwin R.: see Ogueh O.
Balme E.: see Newbold S. M.
Bamford D. S. see Eckford S. D.
Bannerjee S., Elder M. G. and Jackson J. E.: Severe postpartum haemorrhage: early angiographic embolisation is life saving, 240
Barak F.: see Gemer O.
Barakzai N. S.: see Hill B.
Barik S., Ghosh K., Dhaliwal L. K. and Gopalan S.: Clinico-demographic characteristics of women with premature ovarian failure in India, 413
Barrington J. W.: see Brough S. J. S.
Basama F. M. S., Savargaonkar P. R., Wright J. D. and Nicholson C.: Tailgut cyst presenting with acute lower abdominal pain, 419
Bassett M.: see Mahomed K.
Batalias L.: see Salamalekis E.
Bauknecht T.: see Ikenberg H.
Berg A.: see Granstrom L.
Bevan R. K. and Kenney A.: Transabdominal cervical circlage—the last resort?, 386
Bjerkan O. A.: see Lowe P. J. M.
Bibby J.: see Ayers K.
Bilalis D. A., Warren R. C. and Clarke J. M. F.: Superior mesenteric artery aneurysm: a rare cause of abdominal pain in pregnancy, 305
Bitrus L.: see Obed J.
Black N., Clarke A., Rowe P., Mott S. and Howle K.: A prospective cohort study of the clinical management of total abdominal hysterectomy for benign disease, 394
Bobotis M.: see Prys-Davies A.
Bombieri L. and Hogston P.: Endometrial carcinoma with an endometrial thickness of 3.2 mm on vaginal ultrasonography, 421
Bontis J.: see Piveropoulos M.
Booker M. W.: see Bromham D. R.
Borderline serous papillary cystadenocarcinoma arising in endometriosis, 207
Bosio P.: see Stratton J. F.
Bowen-Simpkins P.: see Prys-Davies A.
Bower S.: see Daly-Jones E.
Boyd N. R. H.: see El-Lakany N. E. H.

Breeson A. J.: see Ezeh O. I. U.
Bromham D. R., Booker M. W., Rose G. L., Wardle P. G. and Newton J. R.: A multicentre comparative study of gestrinone and danazol in the treatment of endometriosis, 188
Brough S. J. S., Barrington J. W., Wheeler J. and Stephenson T. P.: Omental interposition in the management of urinary fistulas involving the vagina, 316
Browning J.: see Newbold S. M.
Brownlee M.: see Wallace E. M.
Brucker C.: see Dimpfl T.
Burke M.: see Nwosu E. C.
Buxton E. J.: see Churchill D.

Caesarean section, classical,—long term morbidity, 379
Caesarean section rates and perinatal mortality, reduction of, in a four year study, 171
Callender R.: see Wheeler V. W.
Cardiotocography in 'low risk' obstetric population, the influence of interpretation on value in routine labour admission, 161
Castelo-Branco C., Durán M., Puig M. and Vanrell J. A.: Compliance with hormone replacement therapy at the menopause, 204
Cavanagh D.: see Gleeson N. C.
Cerebral aneurysm, rupture of, following delivery, 303
Cervical cytology, analysis of sampling methods for, 53
Cervical cytology, the role of, in the detection of adenocarcinoma and glandular intraepithelial neoplasia of the cervix—a retrospective study, 263
Chaliha C.: see Aboud E.
Charnock F. M.: see Merriman H.
Cheeseman K.: see Labeja-Acellam E. T.
Chen G., Wilson R., Cumming G., Walker J. J. and McKillop J. H.: Interleukin-2 and pregnancy induced hypertension, 27
Chew S., Anandakumar C., Wong Y. C., Chia D., Po L. U. and Ratnam S. S.: Fetal choroid plexus cysts and their association with aneuploidy, 359
Chew S.: see Anandakumar C.
Chia D.: see Anandakumar C. and Chew S.
Chin K. A. J.: Scalp necrosis following failed ventouse Silc cup delivery (correspondence), 276
Choa D. I.: see Morris N. H.
Choroid plexus cysts in the fetus and their association with aneuploidy, 359
Chung T.: see Rogers M. S.
Churchill D., Buxton E. J., Mann M. and Luesley D. M.: Bupivacaine with adrenaline infiltration following episiotomy repair, 29
Clarke A.: see Black N.
Clarke F.: see Olah K. S. J.
Clarke J. M. F.: see Bilalis D. A.
Clark L., Reynolds K. and Hallam N.: Genital herpes simplex virus infection in pregnancy: new proposals to improve screening and reduce neonatal risk, 149
Companionship to modify the clinical birth environment: no measurable effect on stress hormone levels, 178
Connely P.: see Sarhanis P.
Cooke R. M. S.: see Wheeler V. W.
Coquoz R.: see Taroni F.
Cox J. and James D.: Deep vein thrombosis prophylaxis at caesarean section in the United Kingdom, 179
Crowther M. E.: The effect of a perinatal death on subsequent conception, 382
Cryan E.: see Curran S.
Cumming G.: see Chen G.
Curran S. and Cryan E.: Pseudocyesis in a young adult female, 385

Dallapiccola B.: see Romanini C.
Daly-Jones E., Bower S., Hollingsworth J. and Fisk N. M.: Assessment of patient perceived risk of sonographically detectable fetal abnormalities, 298
Davies W. A. R.: see Sharma J. B.
Davis D. M. and Smith J. R.: A haematoma in disguise, 127
Deep vein thrombosis prophylaxis at caesarean section in the United Kingdom, 179
Demir A. Y.: see Demir R.
Demir R., Demir A. Y. and Erbengi T.: Intranuclear inclusion bodies in placental septal cells and their possible relation to placental cell degeneration, 88
Demir R., Demir N., Üstünel İ., Tirak İ. and Erbengi T.: A three-dimensional study on human placental villi from normal and tubal ectopic pregnancy, 151
Demir N.: see Demir R.
De Santis L.: see Romanini C.
Dewart P. J.: see Nunns D.
Dhaliwal L. K.: see Barik S.
Diabetic embryopathy in a woman with potential diabetes mellitus, 108
Dimpfl T., Gloning K.-P. and Brucker C.: Fever of undetermined origin in pregnancy—bear listeriosis in mind, 184
Dommisse J.: see Johanson R.
Donnai P.: see Mbewu A.
Dundas S. A. C.: see Tincello D. G.
Durán M.: see Castelo-Branco C.

Eckford S. D., Vyas S., Mills M. S. and Bamford D. S.: Delayed placental abruption after road traffic accident, 186
Eclampsia: does it occur more frequently in primigravidae with diabetes?, 104
Ectopic pregnancy and maternal chlamydial infection, the rising incidence of in Abu Dhabi, 114
Ectopic pregnancy, bilateral tubal, 418
Ectopic pregnancy. Diagnosis using transabdominal ultrasound and a qualitative serum hCG test. Five years' experience in the Middle East, 157
Edozien L. C.: see Ilesanmi O. A.
El Awad M. A.: see Sabagh T. O.
Elder M. G.: see Bannerjee S.
Electrical cardioversion in pregnancy, 33
El-Lakany N. E. H., Hock Y. L. and Boyd N. R. H.: Primary ovarian pregnancy following intra-uterine insemination, 182
Elstein M.: see Nunns D.
El-Torkey M. and Grant J. M.: Hydrostatic sweeping of the membranes is an effective method of preparing the unripe cervix for induction of labour. A random allocation prospective trial, 100

Eltorkey M. M.: see Sabagh T. O.
Emergency obstetric hysterectomy in a Nigerian hospital, 24
Endometrial carcinoma with an endometrial thickness of 3.2 mm on vaginal ultrasonography, 421
Endometrial resection in Oxford: the first 500 cases—a 5 year follow up, 38
Endometrial stromal sarcoma involving the inferior vena cava, hormone treatment of, 59
Endometriosis, a multicentre comparative study of gestrinone and danazol in the treatment of, 188
Endometriosis, sub-diaphragmatic, successful medical treatment of, 206
Endometriosis, the incidence of atypical symptoms in patients with endometriosis, 307
Endometrium, primary squamous cell carcinoma of, 420
Endometrium, culture of, in infertile women, 50
Epilepsy, effect on pregnancy and hormones, 183
Episiotomy repair, subsequent use of bupivacaine with adrenaline infiltration, 29
Erbengi T.: see Demir R.
Etherington I. J., Harrison K. R. and Read M. R.: A comparison of outpatient endometrial sampling with hysteroscopy, curettage and cystoscopy in the evaluation of postmenopausal bleeding, 259
Evans A.: see Prys-Davies A.
Extra-uterine decidual reaction in pregnancy mimicking advanced ovarian carcinoma, 98
Exudative retinal detachment, bilateral, in pre-eclampsia, 304
Ezeh O. I. U. and Breeson A. J.: Spontaneous pregnancy following pretreatment with gonadotrophins in a patient with resistant ovary syndrome, 423
Ezeh O. I. U., Pearson M. and Vellacott I. D.: A simplified minimally invasive method of treating ectopic pregnancy using video laparoscopy and a Cusco speculum, 124

Failed mifepristone termination of pregnancy and talipes equinovarus: coincidence? (correspondence), 210
Falder S.: see Thomas P. B.
Farmer R. D. T. and Preston T. D.: The risk of venous thromboembolism associated with low oestrogen oral contraceptives, 195
Farrell T., Mires G. J., Owen P. and Patel N. B.: The influence of interpretation on the value of routine labour admission cardiotocography in a 'low risk' obstetric population, 161
Fathy H.: see Nash T. G.
Felton D. J. C.: see Overton C. E.
Fergusson S.: see Rogers M. S.
Fetal abnormalities, sonographically detectable, assessment of patient perceived risk, 298
Fetal birth weight in Africa, 295
Fetal pelvi-ureteric junction, an inherited malformation of, causing obstructed labour, 392
Feto-maternal haemorrhage, massive, 251
Fever of undetermined origin in pregnancy—bear listeriosis in mind, 184
Fiander A.: see Prys-Davies A.
Fiorica J. V.: see Gleeson N. C.
Fisk N. M.: see Daly-Jones E.
Fox, R. and James M.: Diabetic embryopathy in a woman with potential diabetes mellitus, 108

Gad N.: Gemeprost pessary per rectum in severe haemorrhage due to atonic uterus following spontaneous miscarriage (correspondence), 62
Garner P.: see Kotarba D. D.
Gazvani M. R., Abdulla U. and Spedding A. V.: Vaginal rhabdomyoma, 208
Gbolade B. A.: Hyperreactio luteinalis in a normal singleton pregnancy, 31
Gemer O., Segal S. and Barak F.: Papillary serous carcinoma of the peritoneum, 254
Gencer S.: see Yildirim A.
Genital herpes simplex virus infection in pregnancy: new proposals to improve screening and reduce neonatal risk, 149
Ghosh K.: see Barik S.
Gillmer M. D. G.: see Nicholson S. C.
Girling J.: see Sebire N. J.
Gleeson N. C., Hoffman M. S., Fiorica J. V., Roberts W. S. and Cavanagh D.: Predictive value of combined assays of urinary gonadotropin fragment (UGF) and CA125 for ovarian carcinoma in patients with pelvic masses, 328
Gloning K.-P.: see Dimpfl T.
Golding J.: see James D.
Gopalan S.: see Barik S.
Gordon H.: see Aboud E.
Graham I. H.: see Hill B.
Granström L., Hammarström M., Hjertberg R., Moberger B., Berg A. and Norlander E.: Expectant management in nulliparous term pregnant women with premature rupture of membranes and an unripe cervix, 366
Grant J. M.: see El-Torkey M.
Gray W.: see Merriman H.
Greenwood R.: see James D.
Gülmezoğlu A. M.: see Hofmeyr G. J.
Gülmezoğlu A. M.: see Rodrigues F. A.

Haematoma in disguise, 127
Hallam N.: see Clark L.
Hammarstrom M.: see Granstrom L.
Hanssens M.: see Van den Bosch T.
Harris V. G.: see Labeja-Acellam E. T.
Harrison K. R.: see Etherington I. J.
Hassa H.: see Yildirim A.
Hasumi K.: see Yamawaki T.
Hartikainen A.-L.: see Lumme A.
Haseeb F. I.: see Sharara H. A.
Heart disease in pregnancy—evaluation of disease pattern and outcome in Sri Lanka, 9
Hepatocellular carcinoma of liver presenting as a vaginal tumour, 130
Hernández M. J.: see Valenzuela P.
Heydanus R. and Ledward R. S.: Failed mifepristone termination of pregnancy and talipes equinovares: coincidence? (correspondence), 210

Hickey K., Higgins J., Moriarty M. and McGuinness E.: Hormone treatment of endometrial stromal sarcoma involving the inferior vena cava, 59
Hickey K., Higgins J., Walsh D. and McGuinness E.: Electrical cardioversion in pregnancy, 33
Hickey K.: Peri-mortem caesarean section (correspondence), 210
Higgins J.: see Hickey K.
High risk pregnancies, use of the acoustic stimulation test and antenatal cardiotocography as diagnostic tools, 292
Hill B., Shah S., Graham I. H. and Barakazi N. S.: The rising incidence of ectopic pregnancy in Abu Dhabi and maternal chlamydial infection, 114
Hirsch P. J.: see Nunns D.
Hjertberg R.: see Granström L.
Hock Y. L.: see El-Lakany N. E. H.
Hogston P.: see Bombieri L.
Hoffman M. S.: see Gleeson N. C.
Hofmeyr G. J., Nikodem V. C., Mahomed K., Gülmezoğlu, Lawson M. and Van der Walt L. A.: Companionship to modify the clinical birth environment: no measurable effect on stress hormone levels, 178
Hofmeyr G. J.: see Rodrigues F. A.
Hollingsworth J.: see Daly-Jones E.
Hormone replacement therapy at the menopause, compliance with, 204
Howle K.: see Black N.
Hudson C. N.: see Sultan A. H.
Hughes J.: see Impey L.
Human papillomavirus DNA in endometrial cancer, low prevalence of, 117
Human papillomavirus type, correlation with the progressive potential of low grade squamous intraepithelial dysplastic lesions of the cervix (CIN I), 324
Human placental villi from normal and tubal ectopic pregnancy, a three-dimensional study on, 151
Hutchon D. J. R.: Laparoscopically assisted vaginal hysterectomy (correspondence), 341
Hydrostatic sweeping of the membranes is an effective method of preparing the unripe cervix for induction of labour. A random allocation prospective trial, 100
Hyer S. L., Thomas D. M., Polak J. M. and Nussey S. S.: Malignant insulinoma in pregnancy presenting as hypothermia, 34
Hyperreactio luteinalis in a normal singleton pregnancy, 31
Hysterectomy for benign diseases by mini-laparotomy, early discharge after, 401
Hysterectomy, supravaginal—a less invasive procedure, 406

Ikenberg H., Schmitt B., Kiechle-Schwarz M., Bauknecht T. and Pfleiderer A.: Low prevalence of human papillomavirus DNA in endometrial cancer, 117
Ikomi A. and Morgan H.: Strangulation of hypertrophied labium by pubic hair, 271
Ilesanmi O. A., Adeyemi-Doro F. A. B., Edozien L. C. and Akang E. E. U.: Culture of the endometrium of infertile women, 50
Impey L. and Hughes J.: Abdominal pain in pregnancy: who needs to be admitted?, 363
Interleukin-2 and pregnancy induced hypertension, 27
Intranuclear inclusion bodies in placental septal cells and their possible relation to placental cell degeneration, 88
Ischaemic bowel secondary to Meckel's diverticulum co-existing with placental abruption, 248
Iskander M. N.: see Tincello D. G.

Jackson J. E.: see Bannerjee S.
Jackson S. R. and Read M. D.: The efficacy and acceptability of managing missed abortion medically, 81
Jackson T. and Rand R. J.: Obstructed labour caused by an inherited malformation of the fetal pelvi-ureteric junction, 392
James D., Greenwood R., McCabe R., Mahomed K. and Golding J.: Alcohol consumption during pregnancy in Bristol, 84
James M.: see Fox R.
Järvelin M.-R.: see Lumme R.
Johanson R., Anthony J. and Dommisse J.: Obstetric intensive care at Groote Schuur Hospital, Cape Town, 174
Johnstone F. D.: see Wallace E. M.
Jolly M.: see Thomas P. B.

Kaluarachchi A. and Seneviratne H. R.: Heart disease in pregnancy—evaluation of disease pattern and outcome in Sri Lanka, 9
Kamm M. A.: see Sultan A. H.
Kassanos D.: see Salamalekis E.
Keane D. P. and Stronge J. M.: Does eclampsia occur more frequently in primigravidae with diabetes?, 104
Kenney A.: see Bevan R. K.
Kerner H.: see Munichor M.
Khwaja S.: see Knox-Macaulay H.
Kiechle-Schwarz M.: see Ikenberg H.
Kingston R.: see Olah K. S. J.
Knox-Macaulay H. and Khwaja S.: Acquired pure amegakaryocytic thrombocytopenic purpura in pregnancy, 106
Kotarba D. D., Garner P. and Perkins S. L.: Changes in serum free thyroxine, free tri-iodothyronine and thyroid stimulating hormone reference intervals in normal term pregnant women, 5
Kundu A. and Wade A. A. H.: Experience with the large loop excision of the transformation zone in the treatment of cervical intra-epithelial neoplasia at a genito-urinary clinic (correspondence), 63

Labeja-Acellam E. T., Harris V. G. and Cheeseman K.: The incidence and cytological predictors of residual cervical intra-epithelial neoplasia after histologically incomplete excision by loop diathermy, 319
Laidlaw L.: see Wallace E. M.
Lakasing L.: see Aboud E.
Lancaster J. M., Prentice A. and Smith S. K.: Successful medical treatment of sub-diaphragmatic endometriosis, 206
Laparoscopically assisted vaginal hysterectomy (correspondence), 341

Lawal A. H. and Spring J.: Pemphigus vulgaris in pregnancy with involvement of the vagina as an indication for caesarean section, 301
Lawson M.: see Hofmeyr G. J.
Leahy B. C.: see Lowe P. J. M.
Ledward R. S.: see Heydanus R.
Leeson S.: see Mbewu A.
Leiomyoma of the vagina, 59
Lim J. M. H., Soh E. B. S. and Raman S.: Bilateral exudative retinal detachment in pre-eclampsia, 304
Lindow S. W., van der Elst C. W. and Mantel G. D.: Chronic oxygen treatment in a twin pregnancy where one fetus is associated with abnormal umbilical artery Doppler velocimetry, 250
Lindsay P. C., Markham N. I. and Tayob Y.: Abdominal wall endometriosis resulting from attempted transabdominal intra-amniotic injection for middle trimester abortion, 129
Loghis C.: see Salamalekis E.
Loop diathermy, histologically incomplete excision by: the subsequent incidence and cytological predictors of residual cervical intra-epithelial neoplasia, 319
Louden K. A.: see Louden S. F.
Louden S. F., Wingfield M., Read P. A. and Louden K. A.: The incidence of atypical symptoms in patients with endometriosis, 307
Lowe P. J. M., Bjerkan O. A., Leahy B. C. and Ainscow G.: Intrapartum paradoxical arterial embolism associated with an undiagnosed atrial septal defect, 391
Luesley D. M.: see Churchill D. and Sarhanis P.
Lumme R., Rantakallio P., Hartikainen A.-L. and Järvelin M.-R.: Pre-pregnancy weight and its relation to pregnancy outcome, 69

MacDermott R. I. J.: Classical caesarean section—long term morbidity, 379
Mackintosh C. L.: see Wallace E. M.
Mahmood T.: see Mbewu A.
Mahomed K.: see James D.
Mahomed K.: see Hofmeyr G. J.
Mahomed K., Muchini B., Mudzamiri S., Bassett M. and Shylaja A.: Maternal height—how high is the risk of short stature?, 76
Malignant insulinoma in pregnancy presenting as hypothermia, 34
Mann M.: see Churchill D.
Mantel G. D.: see Lindow S. W.
Margot P.: see Taroni F.
Markham N. I.: see Lindsay P. C.
Martingale P.: see Merriman H.
Maternal height—how high is the risk of short stature?, 76
Matthias G. and Morgan G.: Unexplained stillbirths; antenatal clinical characteristics, 299
Mbewu A., Leeson S., Mahmood T., Cotter L. and Donnai P.: Myocardial infarction in a young woman during pregnancy, 33
McCabe R.: see James D.
McConnell D.: see Sharma J. B.
McGrath J.: see Aziz A. I.
McGuinness E.: see Hickey K.
McKillop J. H.: see Chen G.
McMillan D. L.: see Ogueh O.
Meigs' syndrome with elevated serum CA125 in a 17-year-old girl, 57
Menstrual blood loss, assessment of, using a pictorial chart and endometrial sampling within the community, 123
Merriman H., Martingale P., Charnock F. M. and Gray W.: The role of cervical cytology in the detection of adenocarcinoma and glandular intra-epithelial neoplasia of the cervix—a retrospective study, 263
Meyer L.: see Sultan A. H.
Midwife-medical staff interaction in a labour ward environment, a study of, 165
Mills M. S.: see Eckford S. D.
Mires G. J.: see Farrell T.
Missed abortion, the efficacy and acceptability of medical management, 81
Moberger B.: see Granström L.
Moerman P.: see Van den Bosch T.
Monga D.: see Achanna S.
Morcos S.: see Ojutiku D.
Moriarty M.: see Hickey K.
Morgan G.: see Matthias G.
Morgan H.: see Ikomi A.
Morris N. H., Oganwu S., Choa D. I. and Sanderson P.: A severe sore throat infection complicating the puerperium, 36
Mott S.: see Black N.
Muchini B.: see Mahomed K.
Mudzammiri S.: see Mahomed K.
Mukoyogo J. I.: see Wheeler V. W.
Munichor M., Kerner H. and Amit A.: Hepatocellular carcinoma of liver presenting as a vaginal tumour, 130
Myocardial infarction in a young woman during pregnancy, 33

Nasar M.: see Nash T. G.
Nash T. G., Fathy H., Sellappan S. and Nasar M.: Massive feto-maternal haemorrhage, 251
Needlestick injury, the role of blunt-tipped needles and a new needle-holder in reduction of, 336
Neilson J. P.: see Oláh K. S. J.
Newbold S. M., Balme E. and Browning J.: Postpartum pneumopericardium, 252
Newman M. R. B.: see Sharma J. B.
Newton J. R.: see Bromham D. R.
Ngui, C. F.: see Oganwu S. O.
Nicholson C.: see Basama F. M. S.
Nicholson S. C., Slade R. J., Ahmed I. H. and Gillmer M. D. G.: Endometrial resection in Oxford: the first 500 cases—a 5 year follow up, 38
Nieto A.: see Valenzuela P.
Nikodem V. C.: see Hofmeyr G. J.
Nikodem V. C.: see Rodrigues F. A.
Norlander E.: see Granström L.
Northern Obstetrical and Gynaecological Society, Annual Meeting, 342
Novelli G.: see Romanini C.
Nunns D., Dewart P. J., Hirsch P. J. and Elstein M.: Postpartum blood loss: implementation of recommendations following a retrospective audit resulting in improved patient care, 230

Nussey S. S.: see Hyer S. L.
Nwosu E. C. and Burke M.: Tubal microsurgery in a district general hospital: a review of 203 cases, 44
Nzewi C. and Rowbotham C. J. F.: Long term survival in a case of sarcoma botryoides treated with Wertheim's hysterectomy, 339

Obed J. Y., Zarma A. and Bitrus L.: Surgical intervention in booked and unbooked pregnant adolescent mothers aged 12, 13 and 14 years, 15
Obstetric intensive care at Groote Schuur Hospital, Cape Town, 174
Odutayo R. and Zaklama M. S.: Bilateral tubal ectopic pregnancy, 418
Oganwu S.: see Morris N. H.
Oganwu S. O., Sanusi F. A., Ngui C. F., Rodin A. and Simanowitz M. D.: Ischaemic bowel secondary to Meckel's diverticulum co-existing with placental abruption, 248
Ogueh O., Sultan A., McMillan D. L. and Baldwin R.: Borderline serous papillary cystadenocarcinoma arising in endometriosis, 207
Ojutiku D. and Morcos S.: Primary squamous cell carcinoma of the endometrium, 420
Okonofua F. E.: see Onwudiegwu U.
Oláh K. S. J., Clarke F., Kingston R. and Neilson J. P.: Vulval carcinoma in an episiotomy scar—a rare cause of superficial dyspareunia, 208
Omu A. E., Al-Qattan F. and Al-Ashkanane L.: Shoulder dystocia: a continuing obstetric challenge, 373
Omu A. E.: see Al-Awadi S.
Onwudiegwu U. and Okonofua F. E.: Emergency obstetric hysterectomy in a Nigerian hospital, 24
Oscillometric measurement of mean arterial pressure: the effect of position on prediction of pregnancy induced hypertension, 221
Ovarian carcinoma in patients with pelvic masses, predictive value of combined assays of urinary gonadotropin fragment (UGF) and CA125, 328
Ovarian stimulation and granulosa cell tumour—a possible mechanism, 422
Overton C. E. and Felton D. J. C.: Pregnancy in a rudimentary horn, 247
Owen P.: see Farrell T.
Oxygen treatment, chronic, in a twin pregnancy where one fetus is associated with abnormal umbilical artery Doppler velocimetry, 250
Özalp S.: see Yildirim A.

Papillary serous carcinoma of the peritoneum, 254
Papillomavirus, growth *in vitro* of epithelial cells from the cervix of women with, 125
Partington C. K.: see Spencer C. P.
Patel N. B.: see Farrell T.
Pearson M.: see Ezeh O. I. U.
Pelvic abcess following *in vitro* fertilisation and embryo transfer, 272
Pemphigus vulgaris in pregnancy with involvement of the vagina as an indication for caesarean section, 301
Peri-mortem caesarean section (correspondence), 210
Perinatal death, the effect of on subsequent conception, 382
Perkins S. L.: see Kotarba D. D.
Pfleiderer A.: see Ikenberg H.
Piveropoulos M., Agorastos T. and Bontis J.: Successful pregnancy and delivery of a patient with Rosai-Dorfman disease, 302
Placental abruption, delayed, after road traffic accident, 186
Placental drainage at caesarean section, evaluation as a method of placental delivery, 237
Placental site trophoblastic lesions, 58
Platelet activating factor levels in pre-eclampsia and normal pregnancy, 288
Poddar N. C.: see Wong K. S.
Polak J. M.: see Hyer S. L.
Po L. U.: see Chew S.
Postmenopausal bleeding, a comparison of outpatient endometrial sampling with hysteroscopy, curettage and cystoscopy in evaluation, 259
Postpartum blood loss: implementation of recommendations following a retrospective audit resulting in improved patient care, 230
Postpartum pneumopericardium, 252
Prentice A.: see Lancaster J. M.
Premature ovarian failure in women in India, clinico-demographic characteristics, 413
Premature rupture of membranes and an unripe cervix, expectant management in nulliparous term pregnant women, 366
Pre-pregnancy weight and its relation to pregnancy outcome, 69
Preston T. D.: see Farmer R. D. T.
Primary hyperparathyroidism in pregnancy masquerading as hyperemesis gravidarum, 185
Primary ovarian pregnancy—a diagnostic dilemma, 337
Primary ovarian pregnancy following intra-uterine insemination, 182
Prys-Davies A., Bobotis M. and Bowen-Simpkins P.: Malignant change in wound endometriosis, 274
Prys-Davies A., Fiander A., Evans A. and Bowen-Simpkins P.: Pelvic abscess following *in vitro* fertilisation and embryo transfer, 272
Pseudocyesis in a young adult female, 385
Pubic hair strangulation of hypertrophied labium, 271
Puig M.: see Castelo-Branco C.
Pyrgiotis E.: see Salamalekis E.

Raman S.: see Lim J. M. H.
Rand R. J.: see Jackson T.
Rantakallio P.: see Lumme R.
Ratnam S. S.: see Anandakumar C. and Chew S.
Read M. D.: see Jackson S. R.
Read M. R.: see Etherington I. J.
Read P. A.: see Louden S. F.
Redman C. W. E.: see Sarhanis P. and Shapley M.
Reginald P. W.: see Smith K. M.
Remacha P.: see Valenzuela P.
Renal cell carcinoma, solitary vaginal metastasis, 60
Renal transplant recipients taking cyclosporin A, outcome of pregnancy, 226
Resistant ovary syndrome, spontaneous pregnancy following pretreatment with gonadotrophins, 423
Reynolds K.: see Clark L.

Richards E. R. V.: see Wheeler V. W.
Roberts W. S.: see Gleeson N. C.
Robertson A. A. and Thakur R.: A term abdominal pregnancy, 234
Rodin A.: see Oganwu S. O.
Rodrigues F. A., Hofmeyr G. J., Gülmezoğlu A. M. and Nikodem V. C.: Platelet activating factor levels in pre-eclampsia and normal pregnancy, 288
Rogers M. S., Chung T. and Fergusson S.: Oscillometric measurement of mean arterial pressure: the effect of position on prediction of pregnancy induced hypertension, 221
Romanini C., Sesti F., De Santis L., Novelli G. and Dallapiccola B.: Correlation between human papillomavirus type and progressive potential of low grade squamous intra-epithelial dysplastic lesions of the cervix (CIN I), 324
Rosai-Dorfman disease, successful pregnancy and delivery of a patient with, 302
Rose G. L.: see Bromham D. R.
Rowbotham C. J. F.: see Nzewi C.
Rowe P.: see Black N.
Rudimentary horn, pregnancy in, 247
Ruoss C. F.: Supravaginal hysterectomy—a less invasive procedure, 406
Ruptured uterine-ovarian vessels, causing spontaneous broad ligament haematoma in pregnancy, 107
Ruiz A.: see Valenzuela P.

Sabagh T. O., Eltorkey M. M., El Awad M. A. and Abed S.: Outcome of pregnancy in renal transplant recipients taking cyclosporin A, 226
Salamalekis E., Batalias L., Kassanos D., Loghis C., Pyrgiotis E. and Zourlas P. A.: The acoustic stimulation test and antenatal cardiotocography as diagnostic tools in high risk pregnancies, 292
Salamalekis E., Loghis C., Pyrgiotis E. and Zourlas P. A.: Soft cup vacuum extractor versus forceps delivery, 245
Salmonella virchow, ovarian infection with, 128
Şahin F.: see Yildirim A.
Sanderson P.: see Morris N. H.
Sanusi F. A. and Simanowitz M. D.: Acute torsion of the uterus at 38 weeks pregnant, 249
Sanusi F. A.: see Oganwu S. O.
Sarcoma botryoides treated with Wertheim's hysterectomy, long term survival in a case, 339
Sarhanis P., Redman C. W. E., Luesley D. M. and Connely P.: Is written consent routinely sought for colposcopy and local cervical treatment? (correspondence), 62
Savargaonkar P. R.: see Basama F. M. S.
Scalp necrosis following failed ventouse Silc cup delivery (correspondence), 276
Schmitt B.: see Ikenberg H.
Sebire N. J., Girling J. and Smith J. H.: Spontaneous broad ligament haematoma in pregnancy due to ruptured uterine-ovarian vessels, 107
Segal S.: see Gemer O.
Sellappan S.: see Nash T. G.
Seneviratne H. R.: see Kaluarachchi A.
Serum free thyroxine, free tri-iodothyronine and thyroid stimulating hormone, changes in reference intervals in normal term pregnant women, 5
Sesti F.: see Romanini C.
Sexual crimes: the importance of forensic investigation (commentary), 110
Shah S.: see Hill B.
Shahid J.: see Youssif S. N. M.
Shapley M. and Redman C. W. E.: Assessment of menstrual blood loss using a pictorial chart and endometrial sampling within the community, 123
Sharara H. A. and Haseeb F. I.: α-fetoprotein elevation and prediction of pregnancy outcome, 285
Sharma J. B., Davies W. A. R. and McConnell D.: Primary hyperparathyroidism in pregnancy masquerading as hyperemesis gravidarum, 185
Sharma J. B.: Loss of vaginal vibrator in peritoneal cavity, 417
Sharma J. B., Sharman W. A., Newman M. R. B. and Smith R. J.: Evaluation of placental drainage at caesarean section as a method of placental delivery, 237
Sharma K. and Tebbutt H.: Subcapsular hepatic haematoma following caesarean section, 109
Sharman W. A.: see Sharma J. B.
Shoulder dystocia: a continuing obstetric challenge, 373
Shylaja A.: see Mahomed K.
Simanowitz M. D.: see Oganwu S. O.
Simanowitz M. D.: see Sanusi F. A.
Slade R. J.: see Nicholson S. C.
Smith J. H.: see Sebire N. J.
Smith J. R.: see Davis D. M. and Thomas P. B.
Smith K. M. and Reginald P. W.: Ovarian stimulation and granulosa cell tumour—a possible mechanism, 422
Smith R. J.: see Sharma J. B.
Smith S. K.: see Lancaster J. M.
Soft cup vacuum extractor versus forceps delivery, 245
Soh E. B. S.: see Lim J. M. H.
Soon R.: see Spencer C. P.
Spedding A. V.: see Gazvani M. R.
Spencer C. P., Partington C. K. and Soon R: Pregnancy complicated by Wegener's granulomatosis, 387
Spring J.: see Lawal A. H.
Staunton H.: see Stratton J. F.
Stephenson T. P.: see Brough S. J. S.
St. G. Saunders N. J.: see Thomas P. B.
Stillbirths, unexplained; antenatal clinical characteristics, 299
Stratton J. F., Bosio P., Staunton H. and Stronge J.: Pregnancy, hormones and epilepsy, 183
Stress incontinence, treatment for using modified reverse Stamey operation, 410
Stronge J.: see Stratton J. F.
Stronge J. M.: see Keane D. P.
Subcapsular hepatic haematoma following caesarean section, 109
Subramaniam N.: see Achanna S.
Sultan A.: see Ogueh O.
Sultan A. H., Kamm M. A. and Hudson C. N.: Obstetric perineal trauma: an audit of training, 19

Sultan A. H., Meyer L., Akosa A. B. and Viniker D. A.: Extra-uterine decidual reaction in pregnancy mimicking advanced ovarian carcinoma, 98
Suture needles, a comparison of blunt and sharp tipped, risks to surgeons, 333

Takayasu's arteritis in a grandmultipara: obstetric outcome, 388
Tailgut cyst presenting with acute lower abdominal pain, 419
Tang L.: see Wong K. S.
Taroni F., Coquoz R. and Margot P.: Commentary: Sexual crimes: the importance of forensic investigation, 110
Tayob, Y.: see Lindsay P. C.
Tebbutt H.: see Sharma K.
Thakur R.: see Robertson A. A.
Thomas D. M.: see Hyer S. L.
Thomas P. B., Falder S., Jolly M., St. G. Saunders N. J. and Smith J. R.: The role of blunt-tipped needles and a new needle-holder in reducing needlestick injury, 336
Throat infection, severe, complicating the puerperium, 36
Thrombocytopenic purpura, acquired pure amegakaryocytic, in pregnancy, 106
Tincello D. G., Dundas S. A. C. and Iskander M. N.: Leiomyoma of the vagina, 59
Tirak İ.: see Demir R.
Torsion, acute, of the uterus at 38 weeks pregnant, 249
Toyoda N.: see Yamawaki T.
Transabdominal cervical circlage—the last resort?, 386
Transdermal 17 β-oestradiol in hormone replacement therapy after the menopause, 204
Tubal microsurgery in a district general hospital: a review of 203 cases, 44
Tydeman G. S. J.: Risks to surgeons: a comparison of blunt and sharp tipped suture needles, 333
Tziortziotis D.: Growth *in vitro* of epithelial cells from the cervix of women with papillomavirus, 125

Ultrasound colour flow mapping, role of, in differentiating between benign and malignant ovarian cysts, 266
Urinary fistulas involving the vagina, the effect of omental interposition in management, 316
Üstünel İ.: see Demir R.

Vaginal rhabdomyoma, 208
Vaginal vault prolapse after hysterectomy, sacrospinous colpopexy as prophylactic and therapeutic treatment, 311
Vaginal vibrator, loss of in peritoneal cavity, 417
Valenzuela P., Hernández M. J., Remacha P., Nieto A. and Ruiz A.: Analysis of sampling methods for cervical cytology, 53
Van den Bosch T., Hanssens M. and Moerman P.: Placental site trophoblastic lesions, 58
Van der Elst C. W.: see Lindow S. W.
Van der Walt L. A.: see Hofmeyr G. J.
Vanrell J. A.: see Castelo-Branco C.
Vellacott I. D.: see Ezeh O. I. U.
Venous thromboembolism associated with low oestrogen oral contraceptives, the risk of, 195
Video laparoscopy and a Cusco speculum, use of as a simplified minimally invasive method of treating ectopic pregnancy, 124
Viniker D. A.: see Sultan A. H.
Vulval carcinoma in an episiotomy scar—a rare cause of superficial dyspareunia, 208
Vyas S.: see Eckford S. D.

Wade A. A. H.: see Kundu A.
Walker J. J.: see Chen G.
Wallace E. M., Mackintosh C. L., Brownlee M., Laidlow L. and Johnstone F. D.: A study of midwife-medical staff interaction in a labour ward environment, 165
Walsh D.: see Hickey K.
Wardle P. G.: see Bromham D. R.
Warren R. C.: see Bilalis D. A.
Wegener's granulomatosis, pregnancy complicated by, 387
Wheeler J.: see Brough S. J. S.
Wheeler V. W., Cooke R. M. S., Richards E. R. V., Callender R. and Mukoyogo J. I.: Ruptured cerebral aneurysm following delivery, 303
Wilson R.: see Chen G.
Wingfield M.: see Louden S.
Wong K. S., Poddar N. C. and Tang L.: Meigs' syndrome with elevated serum CA125 in a 17-year-old girl, 57
Wong Y. C.: see Anandakumar C. and Chew S.
Wound endometriosis, malignant change in, 274
Wright J. D.: see Basama F. M. S.

X-linked hypophosphataemic rickets and its effect on pregnancy, 390

Yamawaki T., Toyoda N. and Hasumi K.: Solitary vaginal metastasis of renal cell carcinoma, 60
Yildirim A., Hassa H., Özalp S., Gencer S. and Şahin F.: Transdermal 17 β-oestradiol in hormone replacement therapy after the menopause, 204
Youssif S. N. M. and Shahid J.: Sacrospinous colpopexy as prophylactic and therapeutic treatment of vaginal vault prolapse after hysterectomy, 311
Youssif S. N. M.: Early discharge after hysterectomy for benign diseases by mini-laparotomy, 401

Zaki Z. M. S. and Bahar A. M.: Ectopic pregnancy. Diagnosis using transabdominal ultrasound and a qualitative serum hCG test. Five years' experience in the Middle East, 157
Zaklama M. S.: see Odutayo R.
Zarma A.: see Obed J.
Ziadeh S. M. and Abu-Heija T.: Reducing caesarean section rates and perinatal mortality. A four year study, 171
Zourlas P. A.: see Salamalekis E.